

## PUBBLICAZIONI

- 1: Tomaino M, Russo V, Giacomelli D, Gargaro A, Brignole M. Cardiac Pacing in Cardioinhibitory Reflex Syncope: Clinical Use of Closed-loop Stimulation. *Arrhythm Electrophysiol Rev.* 2021 Dec;10(4):244-249. doi: 10.15420/aer.2021.45. PMID: 35106176; PMCID: PMC8785081.
- 2: Sutton R, Fedorowski A, Olshansky B, Gert van Dijk J, Abe H, Brignole M, de Lange F, Kenny RA, Lim PB, Moya A, Rosen SD, Russo V, Stewart JM, Thijs RD, Benditt DG. Tilt testing remains a valuable asset. *Eur Heart J.* 2021 May 1;42(17):1654-1660. doi: 10.1093/eurheartj/ehab084. PMID: 33624801; PMCID: PMC8245144.
- 3: Russo V, Cante L, Imbalzano E, Di Micco P, Bottino R, Carbone A, D'Andrea A. The Impact of COVID-19 Pandemic on Hospitalization and Interventional Procedures for Cardiovascular Diseases during the First Wave in Italy. *Int J Environ Res Public Health.* 2022 Dec 28;20(1):472. doi: 10.3390/ijerph20010472. PMID: 36612794; PMCID: PMC9819536.
- 4: Brignole M, Russo V, Arabia F, Oliveira M, Pedrote A, Aerts A, Rapacciuolo A, Boveda S, Deharo JC, Maglia G, Nigro G, Giacomelli D, Gargaro A, Tomaino M; BioSync CLS trial Investigators. Cardiac pacing in severe recurrent reflex syncope and tilt-induced asystole. *Eur Heart J.* 2021 Feb 1;42(5):508-516. doi: 10.1093/eurheartj/ehaa936. PMID: 33279955; PMCID: PMC7857694.
- 5: Russo V, Parente E, Rago A, Comune A, Laezza N, Papa AA, Chamberland C, Huynh T, Golino P, Brignole M, Nigro G. Cardioinhibitory syncope with asystole during nitroglycerin potentiated head up tilt test: prevalence and clinical predictors. *Clin Auton Res.* 2022 Jun;32(3):167-173. doi: 10.1007/s10286-022-00864-3. Epub 2022 May 6. PMID: 35524080; PMCID: PMC9236999.
- 6: Palmisano P, Guerra F, Aspromonte V, Dell'Era G, Pellegrino PL, Laffi M, Uran C, De Bonis S, Accogli M, Dello Russo A, Patti G, Santoro F, Torriglia A, Nigro G, Bisignani A, Coluccia G, Stronati G, Russo V, Ammendola E. Management of older patients with unexplained, recurrent, traumatic syncope and bifascicular block: Implantable loop recorder versus empiric pacemaker implantation-Results of a propensity-matched analysis. *Heart Rhythm.* 2022 Oct;19(10):1696-1703. doi: 10.1016/j.hrthm.2022.05.023. Epub 2022 May 25. PMID: 35643299.
- 7: Ciriello GD, Grimaldi N, Papaccioli G, Correr A, Colonna D, Romeo E, Borrelli N, De Marco M, Esposito R, Russo V, Russo MG, Sarubbi B. Implantable Loop Recorder with Long Sensing Vector: Safety, Acceptability, and Sensing Performance in Pediatric Patients. *Pediatr Cardiol.* 2022 Dec 28:1–8. doi: 10.1007/s00246-022-03082-w. Epub ahead of print. PMID: 36576525; PMCID: PMC9795155.
- 8: Russo V, D'Andrea A, De Vivo S, Rago A, Manzo G, Bocchetti A, Papa AA, Giordano V, Ammendola E, Sarubbi B, Golino P, D'Onofrio A, Nigro G. Single Chamber Leadless Cardiac Pacemaker in Patients Without Atrial Fibrillation: Findings From Campania Leadless Registry. *Front Cardiovasc Med.* 2022 Jan 14;8:781335. doi: 10.3389/fcvm.2021.781335. PMID: 35097002; PMCID: PMC8795374.
- 9: Russo V, Boggian G, Bolognesi MG, Carretta DM, Cencetti S, De Laura D, Hrovatin E, Pastori P, Tomaselli C, Parente E, Rafanelli M, Ungar A, On Behalf Of Covid-Gimsi Study Group. The Impact of COVID-19 Outbreak on Syncope Units Activities in Italy: A Report from the Italian Multidisciplinary Working Group on Syncope (GIMS). *Int J Environ Res Public Health.* 2021 Aug 31;18(17):9194. doi: 10.3390/ijerph18179194. PMID: 34501793; PMCID: PMC8431220.
- 10: Russo V, Pafundi PC, Caturano A, Dendramis G, Ghidini AO, Santobuono VE, Sciarra L, Notarstefano P, Rucco MA, Attena E, Floris R, Romeo E, Sarubbi B, Nigro G, D'Onofrio A, Calò L, Nesti M. Electrophysiological Study Prognostic Value and Long-Term Outcome in Drug-Induced Type 1 Brugada Syndrome: The IBRYD Study. *JACC Clin Electrophysiol.* 2021 Oct;7(10):1264-1273. doi: 10.1016/j.jacep.2021.03.010. Epub 2021 Apr 28. PMID: 33933405.

11: Russo V, Anguera I, de Lange FJ, De Ruvo E, Taieb J, Zardini M, Nigro G, Giacopelli D, Gargaro A, Brignole M. Heart rate distribution in paced and nonpaced patients with severe recurrent reflex syncope and tilt-induced asystole: Findings from the BIOSync CLS study. *Int J Cardiol.* 2021 Jul 15;335:52-54. doi: 10.1016/j.ijcard.2021.04.032. Epub 2021 Apr 20. PMID: 33887343